

Kubota®



KUBOTA ZERO-TURN MOWER

ZG

ZG222/ZG227/ZG327

The new ZG-Series petrol zero-turn mowers are built with Kubota-quality components to provide the very best in lawn care.



*This information is sourced from overseas and may not necessarily apply locally. It is essential that you confirm specifications and other information with your local Kubota dealer.

Kubota's ZG mowers make lawn care so comfortable, easy and productive, you won't want to stop.



COMPACT MODELS [200 SERIES]

ZG222-48

- Commercial model
- 22HP Kubota petrol engine
- 6"-deep, 48"-wide Pro Commercial mower deck

ZG227-54

- Commercial model
- 27HP Kubota petrol engine
- 6"-deep, 54"-wide Pro Commercial mower deck

QUALITY & RELI

If you're looking for an efficient, easy-to-use, high-performance mower that produces immaculate results every time, then Kubota's ZG-Series zero-turn mowers were made for you. With the ZG-Series' main components, the state-of-the-art Kubota petrol engine, the reliable Kubota HST transmission and Kubota Pro Commercial mower decks, made by a single manufacturer, these zero-turn mowers are truly one-of-a-kind in the industry. This solid combination of commercial-quality components is what makes the ZG-Series deliver the performance you've been looking for.

FULL-SIZE MODEL [300 SERIES]

ZG327P-60

- Commercial model
- 27HP Kubota petrol engine
- 6.5"-deep, 60"-wide Pro Commercial mower deck



DURABLE KUBOTA PETROL ENGINE

The new, V-Twin Kubota petrol engine delivers durability and productivity like nothing else. Available in 22HP or 27HP, this reliable, air-cooled engine offers outstanding performance and quiet operation. Specifically designed for mowing, it features Kubota's clean-flow structure, which virtually eliminates the likelihood of grass clippings clogging the wide cooling air passage. And Kubota makes maintenance simple—the engine cover can be removed so you can perform routine maintenance without taking the engine out of the machine. Plus, a unique carburetor drain cock allows you to drain out residual petrol, to keep fuel lines clean and making the transportation or long-term storage of the mower safer.



Clean-flow Structure



Carburetor Drain Cock*
*When in use, consult operator manual and handle with care.



Removable Engine Cover



ABILITY

For professional-quality performance, exceptional and outstanding durability, look no further than



Pro Commercial Mower Deck

The ZG327 features a heavy-duty, 60" Pro Commercial mower deck for superior cutting performance. With a deck depth of 6.5 inches—the deepest in the industry—it features a unique baffling system that improves airflow to discharge grass clippings, and an anti-overflow system, which reduces grass spillage. The deck utilises a flexible-but-sturdy discharge cover, which helps prevent damage to shrubs and landscaping. It's the ideal mower deck—for any mowing job.



6.5"
DEEP
DECK



Optional Mulching System

The ZG327's deep mower deck is perfect for mulching, even on thick grass. A Kubota-designed flow plate optimises airflow and facilitates repeated cutting, and the specially designed mulching blades provide an extra-fine cut to leave a beautiful finish.

Operator Comfort

Operator Platform

This spacious operator platform is designed to make you comfortable while working. It has wide speed control levers and an obstacle-free floorboard to allow greater legroom, and features a wide step to simplify mounting/dismounting.

High-back Deluxe Suspension Seat

Maximise your comfort with the ZG327's cushioned, reclining, high-back deluxe suspension seat. The ergonomic, extra-wide adjustable seat features 3-position lumbar support, adjustable armrests, seatbelt and much more, to reduce fatigue and make your job easy.

Indicator Panel

The ergonomically angled control panel enables easy viewing and keeps most major controls and indicators within close reach. It includes fuel and oil gauges, cutting height adjustment dial, locking PTO lever and more.



40-mm
width increase

Hands-free Parking Brake/Deck Lift Pedals

With the ZG327, you only need to depress a single pedal to park the mower. And, thanks to the 2-pedal hydraulic deck lift system, you can easily raise and lower the deck to keep mowing in spite of obstacles. All three pedals are placed directly in front of you on the angled footboard for easy access.




al comfort,
the ZG327.

ZG327



Reliable Hydrostatic Transmission

The large-capacity HST brings performance to a new level. Regulated by an efficient gear hydraulic charge pump, the HST delivers smooth control, quiet operation and a quick response. Plus, the durable copper metal cylinder block ensures transmission durability and performance.



Mower Access

The ZG327 features a special maintenance hatch, with a built-in storage pocket, on the full-flat operator platform. It allows easy access to the upper mower, mower belt, gearbox case, and universal joint parts.



Integrated Radiator Screen

A large steel-mesh screen is integrated into the bonnet. This boosts airflow to keep the engine running cool and efficiently, and protects vital parts.

Easy Maintenance

With the ZG327, maintenance is hassle-free. The seat panel lifts up for quick access to the HST. Routine servicing (adding oil, etc.) is easy—just open the bonnet. The maintenance hatch on the operator platform makes upper mower access a snap. For a complete view, all three can be opened at the same time. A 5" dual-element air cleaner with vacuum sensor informs you when service is required. Kubota's optional tilt-up lift feature is also available for routine maintenance underneath the mower.

Underside Maintenance

With the simple stroke of a lever, a sub-chassis hatch opens to give you easy access to the oil filter and removes stray clippings.



Under Access Lever

Under Access



Semi-pneumatic (Flat-free) Front Tyres

An industry first for this size, the 15", flat-free caster tyres were created to absorb impacts with the rigidity of their structural thickness. This feature greatly reduces the worry of downtime from flat tyres, so you can spend more time working.



Mower Access

HST Access

Engine Access

The ZG222 and ZG227 deliver the reliability and cutting performance needed to keep lawns looking



Pro Commercial Mower Deck


The ZG222-48/ZG227-54 feature heavy-duty, 48"/54" Pro Commercial mower decks designed to maximise cutting performance. The 6"-deep, double-belt decks feature a unique baffling system that improves airflow to discharge grass clippings, and an anti-overflow system that reduces grass spillage and helps give lawns that well-manicured look.

6"-DEEP
DECK



Optional Mulching System

These Pro Commercial mower decks are perfect for mulching, even on thick grass. Kubota's unique flow plate design optimises airflow to allow repeated cutting, and the special mulching blades provide an extra-fine cut to leave a beautiful finish.



Pedal-type Lift System

Elevate the mower deck and roll right over obstacles. The ZG222/ZG227 include a hydraulic lift system that raises and lowers the deck with the simple push of a pedal. And, if necessary, a special one-touch lock allows you to keep the deck in place.



Flexible Cover

The ZG222/ZG227 employ a flexible-yet-sturdy discharge cover to help prevent damage to shrubs and landscaping.

Reliable Hydrostatic Transmission

The ZG222/ZG227 boast an integral-type, twin HST. With a wet, multi-disc PTO clutch to transfer power smoothly, and a shaft-drive mower, the HST ensures ultra-smooth performance and superior durability.



outstanding
ng beautiful.

ZG222/ZG227

Operator Comfort

Operator Deck

Work in style and comfort. The spacious operator deck has an uncluttered floorboard to give you ample legroom.

Comfortable Seat

To make mowing tasks more comfortable, we've included a cushioned seat with sturdy, padded armrests. The adjustable seat also features an attached seatbelt for your protection.

Panel

With the user-friendly instrument panel, Kubota keeps essential controls and indicators close for easy access and viewing. They're all here—warning indicator, fuel gauge and more.



Cup Holder

Mower Access

For easy access to the upper mower, mower belts and universal joint parts, the ZG222/ZG227 feature a convenient maintenance hatch built into the operator's platform.

Easy Maintenance

Maintaining your ZG doesn't get easier. The seat panel lifts up for quick access to the HST. Routine maintenance is easy—just open the hood. The maintenance hatch on the operator platform makes upper mower access a snap. For a complete view, all three can be opened at the same time. Kubota's tilt-up lift feature is also available for routine maintenance underneath the mower.



Maintenance Lift



Specifications

Model		ZG222	ZG227	ZG327	
		ZG222-48	ZG227-54	ZG327P-60	
Engine	Model	Kubota KGZ770-E2-M3	Kubota KGZ770-E2-M2	Kubota KGZ770-E2-M1	
	Type	Petrol, air-cooled V-Twin with heavy-duty canister air filter			
	Max. horsepower (Gross)	22HP@3600 rpm	27HP@3600 rpm		
	Total displacement	768 cc			
	Starting system	Key switch			
Dimensions	Overall length	2060 mm		2225 mm	
	Overall width	(w/ mower)	1550 mm	1705 mm	1911 mm
		(w/o mower)	1220 mm		1460 mm
	Overall height	(w/ ROPS upright)	1775 mm	1915 mm	
		(w/ ROPS folded)	1320 mm		1555 mm
Wheel base	1295 mm		1410 mm		
Tread	Front	860 mm		975 mm	
	Rear	930 mm		1150 mm	
Tyre size	Front	13 × 5.0-6 Pneumatic		15 × 6.0-6 Semi-Pneumatic	
	Rear	23 × 10.5-12		26 × 12.0-12	
Weight (w/ mower) (without fuel)	526 kg		536 kg	670 kg	
Transmission system	2-HST w/ Gear reduction				
Speed control	2-hand lever				
Travel speed range	Forward	0-14.5 km/h		0-17.0 km/h	
	Reverse	0-8.0 km/h		0-8.5 km/h	
Brake type	Wet multi disks, foot operated				
PTO	Type	Shaft drive			
	Clutch type	Hydraulic independent PTO clutch			
	PTO brake	Wet single disk			
Mower deck	Model	RCK48P-222Z	RCK54P-227Z	RCK60P-327Z	
	Mower lift system	Hydraulic			
	Mower deck type	Pro commercial – Fabricated deck			
	Deck depth	6.0 in. (152 mm)		6.5 in. (165 mm)	
	Belt type	Multi-Belt			
	Deck steel thickness	3.8 mm	4.2 mm		
	Anti-scalp roller	Rigid			
	Cutting width of mower	48 in.	54 in.	60 in.	
	Number of blades	3 blades			
	Cutting height	1 in. ~ 5 in. / 1/4 in. increments			
	Mounting system of mower	Parallel linkage			
Blade tip speed (max.)	17000 FPM	17100 FPM	18100 FPM		
Engine stop system	Key stop				
Fuel tank capacity	28 ltrs.		49 ltrs.		
Battery	12 Volts, UIL-9, 300CCA@0° F, 30 min. RC.				
Alternator capacity	14 Amps				
Hour meter	Standard				
Fuel gauge	Electric				

The company reserves the right to change the above specifications without notice.

This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty information.

For your safety, KUBOTA strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications.

©2008 Kubota Corporation



KUBOTA Tractor Australia Pty Ltd

100 Keilor Park Drive, Tullamarine Vic., 3043

Freecall: 1800 334 653

Email: sales@kubota.com.au

Web Site: <http://www.kubota.com.au>